INVITATION TO BID	PARISH OF EAST BATON ROUGE PURCHASING DIVISION		RESPONSES MUST BE RECEIVED BY: 11/22/2021 11:00 AM CST		
TITLE: Complete Walk-In-Cooler/Freezer Replacement and Installation		RETURN BID TO: PURCHASING DIVISION			
FILE NO: RQ13406-21 REQ NO: RQ13406 AD DATES: 11/03 & 11/12		Mailing Address: PO Box 1471 Baton Rouge, LA 70821 ***NOTE: U.S. Postal Regular & Expedited Mail do not deliver			
		physical address; delays may occur due to City-Parish Mailroom processing			
2859 Lt. (aton Rouge f Building & Grounds General Ben Davis Jr Ave uge, LA 70807	Purchasing Analyst Analyst Telephone Number: 2			
VENDOR NAME		MAILING ADDRESS			
REMIT TO ADDRESS		CITY, STATE, ZIP			
TELEPHONE NO.	FAX NO.	E-MAIL			
FEDERAL TAX ID OR SOCIAL	SECURITY NUMBER	TITLE			
AUTHORIZED SIGNATURE (R	<mark>equired</mark>)	PRINTED NAME			
QUESTIONS TO BE COMPLE	TED BY VENDOR:				
1STATE DELI	VERY DAYS MAXIMUM	AFTER RECEIPT OF O	RDER		
2 % discount for payment made within 30 days. Discount for payment made in less than 30 days, or less than 1%, or applicable to an indefinite quantity contract will be accepted but not an award consideration.					

F.O.B.: DESTINATION - PAYMENT TERMS: NET 30

ALL BLANKS ON THIS PAGE SHOULD BE COMPLETED TO AVOID REJECTION OF BID

The signature on this document certifies that proposer has carefully examined the instructions to bidders, terms and specifications applicable to, and made a part of this solicitation. By submission of this document, proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this solicitation.

Bid must be signed in the designated space above and by person authorized to sign for bidder

STATE ENUMERATED ADDENDA RECEIVED (IF ANY)

No alterations, changes or additions are allowed on this solicitation, and no additional information, clarifications or other documents are to be included unless specifically required by the specification. Any errors in extensions of prices will be resolved in favor of unit prices submitted.

If services are to be performed in East Baton Rouge City-Parish, evidence of a current occupational license and/or permit issued by the City-Parish shall be supplied by the successful vendor, if applicable.

3.

INSTRUCTIONS TO BIDDERS / TERMS & CONDITIONS - SEALED BIDS

Bidders are urged to promptly review the requirements of this specification and submit questions for resolution as early as possible during the bid period. Questions or concerns must be submitted in writing to the purchasing division during the bid period. Otherwise, this will be construed as acceptance by the bidders that the intent of the specifications is clear and that competitive bids may be obtained as specified herein. Protests with regard to the specification documents will not be considered after bids are opened.

- 1. Read the entire bid, including all terms and conditions and specifications.
- 2. Bids are mailed only as a courtesy. The City Parish does not assume responsibility for failure of bidders to receive bids. Bidders should rely only on advertisements in the local newspaper, and should personally pick up bids and specifications. Full information may be obtained, or any questions answered, by contacting the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802 or by calling (225) 389-3259. The City will not accept fax proposals or proposals sent via e-mail. All faxed or e-mailed proposals shall be rejected and returned.
- 3. The bid number, bidder's name, address and bid opening date should be clearly printed or typed on the outside of the bid envelope. Only one bid will be accepted from each bidder for the same job. Alternates will not be accepted unless specifically requested in the proposal. Submission of more than one bid or alternates not requested may be grounds for rejection of all bids by the bidder.
- 4. The method of delivery of bids is the responsibility of the bidder. All bids must be received by the Purchasing Division on or before the specified bid opening date and time. Late bids will not be considered under any circumstances. The City will not accept fax proposals or proposals sent via e-mail. All faxed or e-mailed proposals shall be rejected and returned
- 5. Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the city has determined the contractor to be in default, the city reserves right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
- 6. The City Parish specifically reserves the right to evaluate bids and award items separately, grouped or on an all or none basis, to accept the bid which is in the best interest of the City parish, and to reject all proposals if that is in the best interest of the City Parish.
- 7. Except for bids submitted through the www.bidexpress.com on-line bidding site, bids shall be accepted only on bid forms furnished by the City of Baton Rouge and Parish of East Baton Rouge Purchasing Division. Altered or incomplete bids (including non-acknowledgement of addenda issued, if any), or the use of substitute forms or documents, shall render the bid non-responsive and subject to rejection.
- 8. All bids must be typed or written in ink. Any erasures, strikeover and/or changes to prices should be initialed by the bidder. Failure to initial may be cause for rejection of the bid as non-responsive.
- 9. All bids must be manually signed by a properly authorized party. Failure to do so shall cause the bid to be rejected as non-responsive.
- 10. Where one or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Division reserves the right to determine the acceptability of any equivalent offered.
- 11. Detailed factory specifications, illustrative literature and any deviations should be submitted with bid as required by the specifications or on the bid form. Representative samples shall be submitted upon request, if appropriate. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the City to evaluate quality, suitability, and compliance with the specifications in the solicitation.
- 12. Written addenda issued prior to bid opening which modifies the bid shall become a part of the bid, and shall be incorporated within the purchase order and/or contract. Only a written interpretation or correction by Addendum shall be binding. Bidders shall not rely upon any interpretation or correction given by any other method. Failure to acknowledge receipt of addenda (if any) shall render the bid non- responsive and subject to rejection.

- 13. For Printing solicitations, artwork, dies and/or molds shall become the property of the City Parish Government and must be returned to the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802, upon completion of the order.
- All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Bidders must submit product label, material safety data sheet and EPA registry number with bid. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause for the bid to be rejected or the contract canceled.
- 15. Delivery of items must be made on time to City Parish final destinations within East Baton Rouge Parish. All freight charges shall be prepaid by vendor. Late deliveries or unsatisfactory performance may be cause to cancel the Purchase Order or contract.
- 16. The State of Louisiana Code of Governmental Ethics places restrictions on awarding contracts or purchase orders to persons who are employed by any agency of the City Parish Government, or any business of which he or his spouse has more than a twenty-five percent (25%) interest. The Code also prescribes other restrictions against conflict of interest and establishes guidelines to assure that appropriate ethical standards are followed. If any question exists regarding potential violation of the Code of Ethics, bidders should contact the Purchasing Division prior to submission of the bid. Any violation of the Code of Ethics shall be grounds for disqualification of bid or cancellation of contract.
- 17. All Prices bid shall remain in effect for a period of at least sixty (60) days. City Parish purchases are excluded from state and local taxes.
- 18. Acceptance of award by vendor, either in writing or by shipment of any article described herein, shall effectuate a contract between City Parish and vendor for the materials described herein, and no additional conditions or amendments shall have any effect unless approved in writing by City Parish.
- 19. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Information pertaining to completed files may be secured by visiting the EBR City Parish Purchasing office during normal working hours.
- 20. The City Parish is an equal opportunity employer, and does not discriminate against anyone on the basis of race, sex, creed, color, religion, national origin, ancestry, reprisal, disability, sexual orientation, marital status or political affiliation.
- 21. In accordance with Louisiana Revised Statutes, a preference may be allowed for equivalent products produced, manufactured or grown in Louisiana and/or firms doing business in the State of Louisiana. Do you claim this preference if allowed? YES _____ NO____. If this preference is claimed, attach substantiating information to the proposal to show the basis for the claim.
- 22. Right To Audit Clause: The Contractor shall permit the authorized representative of the City-Parish to periodically inspect and audit all data and records of the Contractor relating to his performance under this contract.
- 23. Terms and Conditions: This solicitation contains all terms and conditions with respect to the purchase of the goods and/or services specified herein. Submittal of any contrary terms and conditions may cause your bid to be rejected. By signing and submitting a bid, vendor agrees that contrary terms and conditions which may be included in their bid are nullified; and agrees that this contract shall be construed in accordance with this solicitation and governed by the laws of the State of Louisiana as required by Louisiana Law.
- 24. In accordance with the provisions of LA. R.S. 38:2212.9, in awarding contracts after August 15, 2010, any public entity is authorized to reject the lowest bid from, or not award the contract to, a business in which any individual with an ownership interest of five percent or more has been convicted of, or has entered a plea of guilty or *Nolo Contendere* to any state felony crime or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of Chapter 10 of this Title, professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39 of the Louisiana Revised Statutes of 1950, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39 of the Louisiana Revised Statutes of 1950.

25. Certification of no suspension or debarment. By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the general services administration (GSA) in "Audit Requirements In subpart F of the Office of Management and Budget's uniform administrative requirements, cost principles, and audit requirements for federal awards" (Formerly OMB circular a-133).

A list of parties who have been suspended or debarred can be viewed via the internet at http://www.sam.gov.

- 26. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Bids containing "Payment in Advance" or "C.O.D. requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
- 27. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Purchasing Division during normal working hours. Written bid tabulations may be accessed at: http://city.brla.gov/dept/purchase/bidresults.asp.
 - 28. Bidders or their authorized representatives are invited via teleconference with the information below on the date and time of this bid opening joining by phone +1-408-418-9388 United States Toll Access code: 263 373 080 (followed by the # button).
 - 29. Alternate numbers to call if number above is not available, which may occur due to network traffic (use the same Access Code, followed by the # button):
 - 30. United States Toll (Boston) +1-617-315-0704
 - 31. United States Toll (Chicago) +1-312-535-8110
 - 32. United States Toll (Dallas) +1-469-210-7159
 - 33. United States Toll (Denver) +1-720-650-7664
 - 34. United States Toll (Jacksonville) +1-904-900-2303
 - 35. United States Toll (Los Angeles) +1-213-306-3065
 - 36. This teleconference number will provide you with live audio access to this bid opening. The link will be live at the noted bid opening time for the date of bid opening.
- 37. Contractor agrees, upon receipt of written notice of a claim of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the city, its agents and employees from and against all claims and actions for bodily injury, death or property damages caused by fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees, however the contractor shall have no obligation as set forth with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the City, its officers, its agents, or its employees.
- 38. In accordance with Louisiana Law (R.S. 12:262.1 and 12:1308.2), all corporations and limited liability companies must be in good standing with the Louisiana Secretary of State at the time of execution of the contract.
- 39. Vendors submitting signed bids agree to EEOC compliance and certify that they agree to adhere to the mandates dictated by Title VI and VII of the Civil Right Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, and agrees to abide by the requirements of the Americans with Disabilities Act of 1990.
 - Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.
- 40. The City of Baton Rouge, Parish of East Baton Rouge launched a new Enterprise Resource Planning (ERP) system, Vendor Self Service (VSS) via Munis. VSS replaced the legacy vendor database and will be used by all departments and agencies citywide.
 - Vendor Self-Service (VSS) enables vendors to register and maintain information about their organization for the purpose of doing business with City-Parish and receive notifications of business opportunities. The City-Parish procurement activities are subject to the State of Louisiana Public Bid Law, local city-parish ordinances as well as applicable federal statutes as directed by grant providers. Vendors must be registered to receive bid notifications.

New vendors or existing vendors who need to create a VSS account can do so clicking the Registration link at http://brla.gov/vss. Vendors are encouraged to review the step by step https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF before beginning the registration process which may be assessed at https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF before beginning the registration-Guide-PDFide.

Additional information regarding how to do business with EBR City-Parish is available at: https://www.brla.gov/DocumentCenter/View/678.

We also post our scheduled bid openings, as well as unofficial bid tabulations after the bids have opened at http://city.brla.gov/dept/purchase/bids.asp.

Note: Commodity codes are required for setting up your profile. These numbers tell us what commodities and services that you can provide. When agencies request products or services, our buyers pull directly from these numbers to send out solicitations, bids, and quotes. The first 3 numbers are the class numbers; the subclasses are two digit numbers that better describe the commodity or service. For questions regarding commodity codes, please contact purchasing at (225) 389-3259 Ext 0.

Important! - A W-9 Form is required in order to do business with City-Parish. Part of the online enrollment process requires you to upload a completed W-9 form. Please have the completed form in an electronic format so that you can submit it as part of the registration process. The W-9 form can be downloaded from the IRS website. We have created step by step directions on how to properly complete the W-9 Form.

FEDERAL CLAUSES, IF APPLICABLE.

Remedies for Breach

Bidder acknowledges that contracts in excess of the simplified purchase threshold (\$150,000.00) shall contain provisions allowing for administrative, contractual, or legal remedies for contractor breaches of the contract terms, and shall provide for such remedial actions as appropriate.

II. Termination and Settlement

Bidder acknowledges that contracts in excess of \$10,000.00 shall contain termination provisions including the manner in which termination shall be effected and the basis for settlement. In addition, such provisions shall describe conditions for termination due to fault and for termination due to circumstances outside of the contractors' control.

III. Access to Records

Bidder acknowledges that all contracts (except those for less than the small purchase threshold) shall include provisions authorizing the recipient, US Funding Agency, the Comptroller General, or any of their duly authorized representatives access to all books, documents, papers, and records of the contractor which are directly pertinent to a specific program for the purpose of making audits, examinations, excerpts, and transcriptions.

IV. Equal Employment Opportunity

Bidder acknowledges that all contracts shall contain provisions requiring compliance with

E.O. 11246, "Equal Employment Opportunity," as amended by E.O. 11375, "Amending Executive Order 11236 Relating to Equal Employment Opportunity," and as supplemented by regulations at 41 CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Dept. of Labor.

V. Copeland "Anti-Kickback" Act

Bidder acknowledges that all construction/repair contracts and sub-grants in excess of \$2,000 shall include provisions requiring compliance with the Copeland "Anti-kickback" Act (18 U.S.C. §3141-3148), which provides that each contractor or sub-recipient shall be prohibited from inducing any person employed in the construction, completion, or repair of public work, to give up any part of the entitled.

VI. Davis-Bacon Act

Bidder acknowledges that all construction contracts in excess of \$2,000 shall include a provision for compliance with the Davis-Bacon Act, which requires contractors to pay laborers and mechanics wages at a rate not less than the minimum wages specified in a wage determination made by the Secretary of Labor. Additionally, contractors shall be required to pay wages not less than once a week.

VII. Contract Work Hours and Safety Standards Act

Bidder acknowledges that all construction contracts in excess of \$2,000, and all other contracts involving the employment of mechanics or laborers in excess of \$2,500 shall include provisions for compliance with sections 102 and 107 of the Contract Work Hours and Safety Standards Act, which requires each contractor to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and one-half times the basic rate of pay for all hours worked in excess of 40 hours. Section 107 is applicable to construction work and provides that no laborer or mechanic shall be required to work in surroundings or under working conditions that are unsanitary, hazardous, or dangerous.

VIII. Rights to Inventions Made Under a Contract or Agreement

Bidder acknowledges that contracts for the performance of experimental, developmental, or research work shall include provisions providing for the rights of the Federal Government and the recipient in any resulting invention in accordance with 37 CFR part 401, "Rights to Inventions Made by Nonprofit Organizations and the Small Business Firms Under Governments Grants, Contracts, and Cooperative Agreements"

IX. Clean Air Act

Bidder acknowledges that the Clean Air Act (CAA) is the comprehensive federal law regulating air emissions from stationary and mobile sources. Among other things, this law authorizes EPA to establish National Ambient Air Quality Standards (NAAQS) to protect public health and public welfare and to regulate emissions of hazardous air pollutants

X. Clean Water Act.

The contractor hereby agrees to adhere to the provisions which require compliance with all applicable Standards, orders, or requirements issued under section 508 of the clean water act which prohibits the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA list of violating facilities

XI. Energy policy and conservation act

The contractor hereby recognizes the mandatory standards and policies relating to energy Efficiency which is contained in the state energy conservation plan issued in compliance with the energy policy and Conservation act (P.L. 94-163).

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

INQUIRY PERIOD

An inquiry period is hereby firmly set for all interested bidders to perform a detailed review of the bid documents and to submit any **written questions** relative thereto. *Without exception*, all questions MUST be in writing.

The City-Parish shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our departments. The City-Parish reasonably expects and requires *responsible and interested* bidders to conduct their in-depth review of the bid document and submit inquiries in a timely manner.

All inquiries shall be received by 5:00p.m. on **November 17, 2021. INQUIRIES AND/OR QUESTIONS SHALL NOT BE ENTERTAINED THEREAFTER.**

Inquiries are to be directed as follows:

Arvin F. Jones, Purchasing Analyst II
City-Parish Purchasing Department
222 St. Louis Street, Room 826 (Hand Delivery)
Baton Rouge, LA 70802
or
P.O.Box 1471
Baton Rouge, LA 70821
or
Email: afjones@brla.gov

or Fax (225) 389-4841

ATTENDANCE OF SITE VISIT IS MANDATORY TO BID ON THIS PROJECT

Date: 11-16-2021

Mandatory Site Visit

Vendors shall inspect and take measurements of the complete site prior to bidding. Interested bidders **must** attend the mandatory site visit that is scheduled for:

Date: 11-16-2021

Time: Starting at 10:00 A.M.

Contact: Jason Ganaway or Kyle Allgood

Bidders are to meet at East Baton Rouge Parish Prison located @ 2859 Lt. General Ben Davis Jr Ave, Baton Rouge, LA 70807 and be escorted to Unit 2 kitchen at 10:00 AM.

All parties interested in this bid must be present and signed into the site

Visit meeting no later than 10:05 A.M. to be considered eligible for award of this bid.

Bidders should enclose this signed statement page with their bid.

This signed statement certifies that the vendor na conditions surrounding fulfillment of the specific	ed below has visited the job site and is familiar with al ions for this project. Date		
Vendor's Company Name and Email	Date		
Vendor's Signature	Agency Representative Date		

CONTRACTOR'S AND SUB CONTRACTOR'S INSURANCE

Contractor and any subcontractor shall carry and maintain at least the minimum insurance as specified below until completion and acceptance of the work. Contractor shall not commence work under this contract until certificates of insurance have been approved by the City-Parish Purchasing Division. Insurance companies listed on certificates must have industry rating of A-, Class VI or higher, according to Best's Key Rating Guide. Contractor is responsible for assuring that its subcontractors meet these insurance requirements.

A Commercial General Liability on an occurrence basis as follows:

\$2,000,000
\$1,000,000
\$1,000,000
\$ 1,000,000
\$ 50,000
\$ 5,000

B. Business Auto Policy

Any Auto, or Owned, Combined Single Limit

Non-Owned & Mired \$300,000

- C. Standard Workers Compensation Full statutory liability for State of Louisiana with Employer's Liability Coverage.
- D. The City of Baton Rouge and Parish of East Baton Rouge must be named as additional insured on all general liability policies described above.
- E. Waiver of subrogation in favor of City of Baton Rouge and Parish of East Baton Rouge, is required from Workers Compensation Insurer.
- F. Certificates must provide for thirty (30) days written notice to Certificate Holder prior to cancellation or change.
- G. The Certificate Holder should be shown as:

City of Baton Rouge and Parish of East Baton Rouge Attn: Purchasing Division Post Office Box 1471 Baton Rouge, Louisiana 70821

CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

Pricing Sheet

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability,

compatibility and compliance with the specifications.

	ility and compliance with the specifications.		T	T	1
ITEM	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL
0001	Combo-18'-4" x 12'-6" x 7'-6" Complete Walk-In-Cooler/Freezer Pre-Assembled. Existing Freezer does not have floor dimensions MUST be verified before ordering. Price should include removal and disposal of old unit and installation of new unit. U.S. Cooler / Russell Pre-assembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer Combination per specifications OR APPROVE EQUAL. Price to include removal and disposal of current unit and installation of new unit plus shipping cost, but not taxes. STATE MAKE AND MODEL NUMBER Pictures only denotes the general style, type, character and quality standard approved equal. MATERIALS: Ext. Metal: Stainless Int. Metal: Stainless Int. Metal: Stainless Foam: Extruded 4 in. Combo: 18'-4" x 12'6" x 7'-6" Cooler: 9'-2" x 12'6" x 7'-6" Freezer: 9'2" x 12'6" x 7'-6" Freezer: 9'2" x 12'6" x 7'-6" Scale: ½"+1'	1	UNIT	\$	s
		1	1		



Pictures only denotes the general style, type, character and quality standard approved equal. RFO100M4SDANT Condensing Unit-For Walk In Cooler



Pictures only denotes the general style, type, character and quality standard approved equal. RL6A094ADDA-Air Defrost, Low Profile, Small To Medium, Walk-In Unit Cooler



Pictures only denotes the general style, type, character and quality standard approved equal. RFO300E4SDA- 3 HP Next-Gen MiniCon Air Cooled Condensing Unit.



Pictures only denotes the general style, type, character and quality standard approved equal. RL6E090DDA Unit Cooler-For Walk In Freezer


CITY OF BATON ROUGE PARISH OF EAST BATON ROUGE PURCHASING DIVISION

Specifications:

General: This specification is intended to describe the requirements for a **U.S. Cooler / Russell Pre-assembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer.** These specifications represent standard requirements for City Parish. Bids are based on the totality of "YES" responses. "YES" response(s) provided by bidders that are found to be incorrect during bid evaluation may result in a determination of bid non-responsiveness.

ATTACH DEVIATION NOTES TO PROPOSAL. As a minimum (any non-compliance must be marked "NO") each unit shall be equipped This specification establishes the minimum requirements for a U.S. Cooler / Russell Preassembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9-2" X 12-6" X 7-6" - 4" extruded polystyrene, 22 gauge Strucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit United Structures and Adjustable. Compressor: 1 hp. Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RALA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9-2" x 12-6" X 7-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler)	bidders that are found to be incorrect during bid evaluation may result in a determination of bid non-response	onsiveness.	
As a minimum (any non-compliance must be marked "NO") each unit shall be equipped This specification establishes the minimum requirements for a U.S. Cooler / Russell Preassembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in2 Quage Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp; 35*F Cond Ambient: 95*F Sizing Room: 9600 BTUH Needed for 9-2" X 12-6" X 7-6" Sizing Product: 1719Lbs of Mise Product Entering at 65*F Sizing Product: 1719Lbs of Mise Product Entering at 65*F Sizing Product: 1719Lbs of Mise Product Entering at 65*F Sizing Product: 1719	MINIMUM SPECIFICATIONS DESCRIPTIONS.		ET
This specification establishes the minimum requirements for a U.S. Cooler / Russell Preassembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9-2* X 12*-6* X 7-6** -4** extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, and approved. 1 *NOTE** No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Figo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RF0100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8* X 28 1/4* X 18 3/4** Compressor: 1 hp, Scroll Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-2301 Plasse/60Hz RIA. 72 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35*F Cond Ambient: 95*F Sizing Room: 9600 BTUH Needed for 9-2* X 12*-6* X 7*-6* Sizing Product: 1719Lbs of Misc Product Entering at 65*F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RLoAoy4ADAA o	ATTACH DEVIATION NOTES TO PROPOSAL.	SPECIFIC	CATIONS
assembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL. Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9-2" X 12"-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" x 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230.1 Phase60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambien: 95°F Sizing Room: 9600 BTUH Needed for 9-2" x 12"-6" X 7"-6" Sizing Room: 9600 BTUH Needed for 9-2" x 12"-6" X 7"-6" Sizing Room: 9600 BTUH Needed for 9-2" x 12"-6" X 7"-6" Sizing Room: 9600 BTUH Needed for 9-2" x 12"-6" X 7"-6" Sizing Room: 9600 BTUH Needed for 9-2" x 18 1"-8" X 19"-8" Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profil	As a minimum (any non-compliance must be marked "NO") each unit shall be equipped	YES	NO
Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENEKAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nef approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp. Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (ESS130)-Mounted Electrical: 15/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Part	This specification establishes the minimum requirements for a U.S. Cooler / Russell Pre-		
technical data must be submitted with the bid. General sales brochures will not be sufficient. The evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp. Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty	assembled Med. Temp and Low Temp. Air Cooled Indoor Condensing Units Complete		
evaluation of the product offered and the determination of the lowest responsive and responsible bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, and approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermosta: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Flan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Walk in Cooler/Freezer. If bidding other than the brand specified, two (2) copies of detailed		
bidder will be the sole responsibility of the Purchasing Division after consultation with the using agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/ Phase/60Hz Rn Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	technical data must be submitted with the bid. General sales brochures will not be sufficient. The		
agency. Equipment proposed must be fully compatible with existing equipment for the City of Baton Rouge and Building Grounds Maintenance. Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1*NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/GoHz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/GoHz Fan Amps: 1.6 Defrost Amps: 0 Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Rouge and Building Grounds Maintenance. GENERAL Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 **NOTE** No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight flass - Included Electrical: 208-2301 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (ESS130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (ESS130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Walk-In Combination: 18ft. 4in. X 12ft. 6in. X 7ft. 6in1 Coolers) 1 Freezer(s) Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Extracted 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Walk-In Cooler: 9'-2" X 12'-6" X 7-6" - 4" extruded polystyrene, 22 gauge Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1*NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior, nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
nsf approved 1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
1 *NOTE* No floor 1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Vert-Ergo handle LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
LED light, LED thermometer switch, door closure and adjustable. Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	1 Grey vinyl screeding by the foot Door, 36 in. X 76 in.; med temp inside, without floor		
Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration. 1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps: 0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Vert-Ergo handle		
1 x Condensing Unit Russell Model RFO100M4SDA or approved equal. Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Pre-assembled Remote Med Temp R404A Air Cooled Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Spring-loaded hinges, hinge right centered on front length wall, with U.S. Refrigeration.		
Indoor Condensing Unit Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	1 x Condensing Unit Russell Model RFO100M4SDA or approved equal.		
Dimensions: 27 7/8" X 28 1/4" X 18 3/4" Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Pre-assembled Remote Med Temp R404A Air Cooled		
Compressor: 1 hp, Scroll Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Indoor Condensing Unit		
Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Dimensions: 27 7/8" X 28 1/4" X 18 3/4"		
Extras: Liquid line Filter Drier, Sight Glass - Included Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Compressor: 1 hp, Scroll		
Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7 Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose		
Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Extras: Liquid line Filter Drier, Sight Glass - Included		
Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6" Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Electrical: 208-230/1 Phase/60Hz RLA: 7.2 MOPD: 15 MCA: 19.7		
Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Conditions: BTUH: 9910 Room Temp: 35°F Cond Ambient: 95°F		
Sizing Product: 1719Lbs of Misc Product Entering at 65°F Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Sizing Room: 9600 BTUH Needed for 9'-2" X 12'-6" X 7'-6"		
Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties available) Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-1-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Labor Not Included (Optional labor warranties available) 1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/l Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Labor Not Included (Optional labor warranties available)		
RL6A094ADAA or approved equal Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2 Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	1 x Evaporator (Unit Cooler) Pre-assembled Air Defrost Low Profile Coil, Russell Model		
Extras: Expansion Valve (ERSE-I-C), Solenoid Valve (E3S130)-Mounted Electrical: 115/I Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Electrical: 115/1 Phase/60Hz Fan Amps: 1.6 Defrost Amps:0 Warranty: Parts: 1-year Standard Manufacturer Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Extras: Expansion Valve (ERSE-l-C), Solenoid Valve (E3S130)-Mounted		
Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only			
Extended 2nd-5th year refrigeration warranty 1 1/2 hp compressor only	Warranty: Parts: 1-year Standard Manufacturer		
	·		
Walk-In Freezer: 9'-2" X 12'-6" X /'-6" - 4" extruded polystyrene, 22 gauge	Walk-In Freezer: 9'-2" X 12'-6" X 7'-6" - 4" extruded polystyrene, 22 gauge		

Stucco embossed stainless steel exterior, 22 gauge stucco embossed stainless steel interior,	
nsf approved.	
No floor in Freezer. U.S. Cooler requires the concrete beneath the Freezer to be insulated.	
1 Grey vinyl screeding by the foot Door, 38 in. X 76 in.; low temp inside, without floor,	
threshold	
Vert-Ergo handle,	
LED light, LED thermometer switch, door closure and adjustable.	
Spring-loaded hinges, hinge right centered on front length wall,	
Pressure relief (use 9644) installed Refrigeration	
1 x Condensing Indoor Unit: Pre-assembled Remote Low Temp R404A Air Cooled Russell	
Model RFO300E45DA or approved equal.	
Dimensions: 43 7/8" X 33" X 35"	
Compressor: 3 hp, Scroll	
Thermostat: Electronic Thermostat White Rodgers #16E09-201 shipped loose	
Extras: Liquid line Filter Drier, Sight Glass - Included	
Electrical: 208-230/l Phase/60HzRLA: 20.8 MOPD: 50 MCA:0	
Conditions: BTUH: 10500 Room Temp: -10°F Cond Ambient: 95°F	
Sizing Room: 9808 BTUH Needed for 9'-2" X 12'-6" X 7'-6"	
Sizing Product: 859Lbs of Misc Product Entering at 20°F	
Warranty: Parts: 1-year Standard Manufacturer (Optional extended parts warranties	
available)	
Labor: Not Included (Optional labor warranties available)	
1 x Evaporator (Unit Cooler) Pre-assembled Electric Defrost Low Profile Coil Russell	
Model RL6E090DDAA or approved equal.	
Dimensions: 43 5/8" X 15 1/2" X 18 1/8" Fans: 2	
Extras: Expansion Valve (ERSE-1-ZP), Solenoid Valve (E3S130)-Mounted	
Electrical: 208-230/l Phase/60Hz Fan Amps: 1 Defrost Amps: 9.8	
Warranty: Parts: 1-year Standard Manufacturer	
Included in total price. Extended 2nd-5th year warranty 3 hp compressor only.	
Included in total price. Extended refrigeration warranty: 1st day - 1st year - 3 hp labor only	
Test assembly, packaging, and handling - 3'4" x 8'6" x 5' vertical skid 8 - 57" uprights & 2 -	
40"bottom boards	
Test assembly, packaging, and handling - 4' x 8'6" x 7' flat stack skid	
Includes pieces of full wrap fiber corner.	
2 Test assembly, packaging, and handling - 3'4" x 14' x 5' vertical skid 12 - 57" uprights & 4	
- 40"bottom boards.	
Includes 2 pieces of full wrap fiber corners	
Price to include removal and disposal of current unit and installation of new unit plus	
shipping cost, but not taxes.	
	<u> </u>



ATTACH DEVIATION NOTES: SAMPLE DRAWING ONLY!

BIDDER'S ORGANIZATION BIDDER IS:

AN INDIVIDUAL

Individual's Name:	
Doing business as:	
Telephone No.:	
A PARTNERSHIP Firm Name:	
Title:	
Telephone No.:	Fax No.:
A LIMITED LIABILITY COMPA Company Name:	<u>NY</u>
Telephone No.:	
BID.	A CORPORATION THE CORPORATE RESOLUTION SHOULD BE SUBMITTED WITH
Address:	
State of Incorporation:	
Name of person authorized to sign: _	
Title:	
Telephone No.:	

IF BID IS BY A JOINT VENTURE, ALL PARTIES TO THE BID SHOULD COMPLETE THIS FORM.

CORPORATE RESOLUTION

A meeting of the Board of Directors of		a	corporat	ion
organized under the laws of the State of	and	domici	led	in
was held thisday of, 20 _and was attended				the
Board of Directors.				
The following resolution was offered, duly seconded and after of	discussion wa	as unanimo	usly adopted	by
said quorum:				
BE IT RESOLVED, that	is	hereby	authorized	to
submit proposals and execute agreements on behalf of this corp	poration with	the City o	of Baton Rou	ıge,
and Parish of East Baton Rouge.				
BE IT FURTHER RESOLVED, that said authorization and ap	pointment sh	all remain	in full force	and
effect, unless revoked by resolution of this Board of Directors	and that sai	d revocation	on will not t	ake
effect until the Purchasing Director of the Parish of East Baton I	Rouge, shall h	nave been f	urnished a co	эру
of said resolution, duly certified.				
I,, hereby certify that I am the Sec	retary of			
a corporation created under the laws of the State of	domicile	d in	<u>;</u>	
that the foregoing is a true and exact copy of a resolution adopted	d by a quorur	n of the Bo	ard of Direct	tors
of said corporation at a meeting legally called and held on the	day_of		, 20	, as
said resolution appears of record in the Official Minutes of the B	oard of Direc	ctors in my	possession.	
This day of _		20		
SEC	CRETARY		_	